



TABLE of available clinical Literature for Nipruss® Product aspects

Please note:

- 1) The list is subject to permanent update
- 2) Please contact us for availability of the articles
- 3) Contact Altamedics: info@altamedics.de

CLINICAL PHARMACOLOGY

PHARMACODYNAMICS

Abraham P, Lockwood A, Patka J, Rabinovich M, Sutherland J and Chester K. In Hall AH, Isom GE and Rockwood GA. Toxicology of Cyanides and Cyanogens. Chp. 9. Sodium nitroprusside in intensive care medicine and issues of cyanide poisoning, cyanide poisoning prophylaxis, and thiocyanate poisoning. Published Online: 5 MAR 2016. DOI: 10.1002/9781118628966.ch9

AHFS Drug Information 2000: Sodium Nitroprusside 1719-1723.

ClinicalTrials.gov Identifier: NCT00135668

ClinicalTrials.gov Identifier: NCT00621816

Francis SH, Busch JL, Corbin JD. cGMP-Dependent Protein Kinases and cGMP Phosphodiesterases in Nitric Oxide and cGMP Action. Sibley D, ed. Pharmacological Reviews. 2010;62(3):525-563. doi:10.1124/pr.110.002907.

Gold M.E.: Pharmacology of the Nitrovasoldilators. Nursing Clinics of South America, 1991, 26, 437-451

Goodman and Gilman's editor, The Pharmacological Basis of Therapeutics, In: 91h Edition, McGraw-Hill, International Edition, Antihypertensive Agents and the drug therapy of hypertension. 1996, 797-799

Hottinger DG, Beebe DS, Kozhimannil T, Prielipp RC, Belani KG. Sodium nitroprusside in 2014: A clinical concepts review. J Anaesthesiol Clin Pharmacol. 2014 Oct;30(4):462-71.

Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. Int Anesthesia Clin 1978; 16: 1-29.

Martindale The Extra Pharmacopoeia 1996. Cardiovascular Agents. Sodium Nitroprusside 943-945

Micromedex, Inc. Volume 97, Drug Evaluations 1998: Nitroprusside Pg:1-59

Rodrigo C. Induced hypotension during anesthesia. Anesth Prog 42:41-58, 1995.

Tinker JM and Cucchiara RF: Use of Sodium nitroprusside during anaesthesia and surgery. Int Anesthesiol Clin. 1978 Summer;16(2):89-112.

Tinker JM and Michenfelder JD. Sodium Nitroprusside: Pharmacology, Toxicology and Therapeutics. Anesthesiology. 1976 Sep;45(3):340-54.

PHARMACODYNAMIC DRUG INTERACTIONS

- Baxter K, Preston CL (Eds), Stockley's Drug Interactions. [online] London: Pharmaceutical Press. <<http://www.medicinescomplete.com/> > [Accessed on 29 Nov 2012 (GMT)]
- Drug Rxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>
- Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg.* 1995 Jul;81(1):152-62
- Gilbert C, Cherney DZ, Parker AB, Mak S, Floras JS, Al-Hesayen A, Parker JD. Hemodynamic and neurochemical determinates of renal function in chronic heart failure. *Am J Physiol Regul Integr Comp Physiol.* 2016 Jan 15;310(2):R167-75. doi: 10.1152/ajpregu.00190.2015. Epub 2015 Nov 11
- Hsieh Y.Y., Goldberg L.I.: Hemodynamic consequences of administration of p hentolamine or nitroprussid e with dopamine i n the d og. *J Cardiovasc Pharmacol* 1(3): 3 79-88, 1979
- Kloner RA, Hutter AM, Emmick JT, Mitchell MI, Denne J, Jackson G. Time course of the interaction between tadalafil and nitrates. *J Am Coll Cardiol* 2003; 42: 1855–1860
- Kostis JB, Jackson G, Rosen R, Barrett-Connor E, Billups K, Burnett AL, Carson C, Cheitlin M, Debusk R, Fonseca V, Ganz P, Goldstein I, Guay A, Hatzichristou D, Hollander JE, Hutter A, Katz S, Kloner RA, Mittleman M, Montorsi F, Montorsi P, Nehra A, Sadovsky R, Shabsigh R. Sexual dysfunction and cardiac risk (the Second Princeton Consensus Conference). *Am J Cardiol.* (2005) 96, 313–21
- Kurtz A, Götz K-H, Hamann M, Wagner C. Stimulation of renin secretion by nitric oxide is mediated by phosphodiesterase 3. *Proceedings of the National Academy of Sciences of the United States of America.* 1998;95(8):4743-4747
- Lian TY, Jiang X, Jing ZC. Riociguat: a soluble guanylate cyclase stimulator for the treatment of pulmonary hypertension. *Drug Des Devel Ther.* 2017 Apr 13; 11: 1195-1207
- Lidbury PS, Korbut R, Vane JR. Sodium nitroprusside modulates the fibrinolytic system in the rabbit. *Br J Pharmacol.* 1990 Nov;101(3):527-30
- Sapropterine EPAR 2017 Kuvan® EMA/350999/2017; EMEA/H/C/000943
- SmPC ADCIRCA 2013; EMA EPAR, WC500032789
http://www.ema.europa.eu/docs/en_GB/document_library/EPAR_-_Product_Information/human/001021/WC500032789.pdf
- Thirstrup S, Nielsen-Kudsk F, Dahl R. In vitro studies on the interactions of beta2-adrenoceptor agonists, methylxanthines, Ca²⁺-channel blockers, K⁺-channel openers and other airway smooth muscle relaxants in isolated guinea-pig trachea. *Eur J Pharmacol.* 1997 May 20;326(2-3):191-200
- USPDI. USP Monographs: Sodium Nitroprusside for Injection
http://www.pharmacopeia.cn/v29240/usp29nf24s0_m76940.html. 2016
- Webb DJ, Muirhead GJ, Wulff M, et al. Sildenafil citrate potentiates the hypotensive effects of nitric oxide donor drugs in male patients with stable angina. *J Am Coll Cardiol* 2000; 36: 25–31

PHARMACOKINETICS

ABSORPTION

⇒ Per definitionem 100% as administered via IV

DISTRIBUTION

Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg.* 1995 Jul;81(1):152-62

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinteics*, 9, 1984, 239-251

Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, *klein. Wochenzeitschrift.* 60, 1982: 1393-1400

METABOLISM

Cohn JN, Burke LP. Nitroprusside. *Ann Intern Med* 1979;91: 752-7

Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg.* 1995 Jul;81(1):152-62

Hall VA, Guest JM. Sodium nitroprusside-induced cyanide intoxication and prevention with sodium thiosulfate prophylaxis. *Am J Crit Care* 1992; 1: 19-27

Himwich WA, Saunders JP. Enzymatic conversion of cyanide to thiocyanate. *Am J Physiol* 1948; 153: 348

Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. *Int Anesthesia Clin* 1978; 16: 1-29.

Kulig K. Cyanide antidotes and fire toxicology. *N Engl J Med* 1991; 325: 1801-2

McEvoy GK, ed. *American Hospital Formulary Service, Drug Information* 1994;24:08, 1163-6

Page IH, Corcoran A C, Dustan HP, Koppanyi T. Cardiovascular actions of sodium nitroprusside in animals and hypertensive patients. *Circulation* 1955; 11: 188-98

Pasch T, Schulz V and Hoppelshausen G. Nitroprusside-induced formation of cyanide and its detoxication with thiosulphate during deliberate hypotension. *Journal of Cardiovascular Pharmacology* 5: 77-85 (1983)

Schulz, V., Akute und subakute Toxizität von Nitroprussidnatrium, *Intensivmed.* 16, 1979: 320-325

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinteics*, 9, 1984, 239-251

Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, *klein. Wochenzeitschrift.* 60, 1982: 1393-1400

Smith RP, Kruszyna H. Nitroprusside produces cyanide poisoning via reaction with hemoglobin. *J Pharmacol Exp Ther* 1974; 191:557-63

ELIMINATION

Baek JG, Jeong HL, Park JS, Seo JH, Park ES, Lim JY, Park CH, Woo HO, Youn HS, Yeom JS. Successful treatment by exchange transfusion of a young infant with sodium nitroprusside poisoning. Korean J Pediatr. 2010 Aug;53(8):805-8

Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. Anesth Analg. 1995 Jul;81(1):152-62

Nessim SJ, Richardson RM. Dialysis for thiocyanate intoxication: a case report and review of the literature. ASAIO J. 2006 Jul-Aug;52(4):479-81

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. Clinical Pharmacokinteics, 9, 1984, 239-251

Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, klein. Wochenzeitschrift. 60, 1982: 1393-1400

EXCRETION

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. Clinical Pharmacokinteics, 9, 1984, 239-251

PHARMACOKINETIC DRUG INTERACTIONS

n.a.

OVERVIEW OF EFFICACY

Hypertensive crisis:

- Aronow WS. Treatment of hypertensive emergencies. *Ann Transl Med* 2017;5(Suppl 1):S5. doi: 10.21037/atm.2017.03.34
- Blumenfeld JD, Laragh JH. Management of hypertensive crisis: the scientific basis for treatment decisions *Am J Hypertens*. 2001; 14: 1154-67
- Chandar J and Zilleruelo G. Hypertensive crisis in children. *Pediatr Nephrol*. 2012 May;27(5):741-51. doi: 10.1007/s00467-011-1964-0. Epub 2011 Jul 20
- Cherney D, Straus S, Management of Patients with hypertensive urgencies and with emergencies. *J Gen Intern Med*, 2002; 17: 937-945
- Haas CE, LeBlanc JM (2004) Acute postoperative hypertension: a review of therapeutic options. *Am J Health Syst Pharm* 61:1661–1673
- Hirschl MM et al Safety and efficacy of urapidil and sodium nitroprusside in the treatment of hypertensive emergencies. *Intensive Care Medicine* 1997; 23(8): 885-888
- Marik PE, Varon J (2007) Hypertensive crises: Challenges and management. *Chest* 131:1949–1962
- Preston RA, Jy W, Jimenez JJ, et al. Effects of severe hypertension on endothelial and platelet microparticals *Hypertension* 2004; 41: 211-217
- Varon J, Marik PE. Clinical review: the management of hypertensive crises. *Crit Care. Med* 2003; 7: 374-384
- Vaughn CJ, Delanty N. Hypertensive emergencies. *Lancet* 2000; 356: 411-418
- Vilela-Martin JF, Vaz-de-Melo RO, Kuniyoshi CH, Abdo AN, Yugar-Toledo JC. Hypertensive crisis: clinical-epidemiological profile. *Hypertens Res*. 2011 Mar;34(3):367-71. doi: 10.1038/hr.2010.245. Epub 2010 Dec 16

Controlled intra-operative hypotension

- Amr YM, Amin SM. Effects of preoperative β -blocker on blood loss and blood transfusion during spinal surgeries with sodium nitroprusside-controlled hypotension. *Saudi J Anaesth* 2012; 6: 263-7
- Aydin GO, Oezlue O, Alacakir H, Aksoy M. Controlled Hypotension: Remifentanil or Esmolol during Tympanoplasty. *Mediterr J Otol* 2008; 4: 125-131
- Coltart D.J.: Haemodynamic effects of sodium nitroprusside (Nipruss), following cardiac surgery. *Clinical Trials Journal*, 1979,16 No.2, 54-58
- Hersey SL, O'Dell NE, Lowe S, Rasmussen G, Tobias JD, Deshpande JK, Mencia G, and Green N. Nicardipine Versus Nitroprusside for Controlled Hypotension During Spinal Surgery in Adolescents. *Anesth Analg* 1997; 84: 1239-44
- Hirschl MM et al Safety and efficacy of urapidil and sodium nitroprusside in the treatment of hypertensive emergencies. *Intensive Care Medicine* 1997; 23(8): 885-888
- Hottinger DG, Beebe DS, Kozhimannil T, Prielipp RC, Belani KG. Sodium nitroprusside in 2014: A clinical concepts review. *J Anaesthesiol Clin Pharmacol*. 2014 Oct;30(4):462-71.

- Kaufman L.: Controlled hypotension in anaesthesia produced by sodium nitroprusside (Nipruss) *Clinical Trials Journal*, 1979,17 No.2, 49-53
- Kieback AG et al Saterinone, Dobutamine, and Sodium nitroprusside: Comparison of Cardiovascular Profiles in Patients with congestive heart failure *J Cardiovasc Pharmacol* 1998; 32: 629-636
- Lin S, McKenna SJ, Yao CF, Chen YR, Chen C. Effects of Hypotensive Anesthesia on Reducing Intraoperative Blood Loss, Duration of Operation, and Quality of Surgical Field During Orthognathic Surgery: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *J Oral Maxillofac Surg.* 2017 Jan;75(1):73-86
- Martindale 2012 (last reviewed 2010-08-24; last modified 2011-08-13)
- Micromedex, Inc. Vol. 97 (1974-1998), 2012
- Moraca P.P., Bitte E.M., Hale D.E., Wasmuth C.E., Poutasse E.F.: Clinical evaluation of Sodium Nitroprusside as a hypotensive agent. *Anaesthesiology*, 1962, 2323 No.2, 193-199
- Precious DS, Splinter W, Bosco D. Induced hypotensive anesthesia for adolescent orthognathic surgery patients. *J Oral Maxillofac Surg.* 1996 Jun;54(6):680-3; discussion 683-4
- Rodrigo C. Induced hypotension during anesthesia. *Anesth Prog* 42:41-58, 1995.
- Suzuki T, Eagle KA, Bossone E, Ballotta A, Froehlich JB, Isselbacher EM. Medical management in type B aortic dissection. *Ann Cardiothorac Surg* 2014;3(4):413-417
- Taylor T.H., Styles M., Lamming A.J.: Sodium nitroprusside as a hypo-tensive agent in general anaesthesia. *Brit.J.Anaesth.*, 1970,42, 859-863
- Tobias JD. Controlled Hypotension in Children: A Critical Review of Available Agents. *Ped Drugs* 2002: 4 (7): 439-453

EFFICACY DATA FROM CLINICAL TRIALS

- Abdelwahab W, Frishman W, Landau A: Management of hypertensive urgencies and emergencies. *J Clinical Pharmacol*, 1995,35, 747-762
- Bernard JM, Pinaud M, Ganansia MF, Chatelier H, Souron R, Letenneur J. Systemic haemodynamic and metabolic effects of deliberate hypotension with isoflurane anaesthesia or sodium nitroprusside during total hip arthroplasty. *Can J Anaesth* 1987; 34: 135–40
- Chandar J and Zilleruelo G. Hypertensive crisis in children. *Pediatr Nephrol*. 2012 May;27(5):741-51. doi: 10.1007/s00467-011-1964-0. Epub 2011 Jul 20
- Coltart D.J.: Haemodynamic effects of sodium nitroprusside (Nipruss), following cardiac surgery. *Clinical Trials Journal*, 1979,16 No.2, 54-58
- Cottrell JE, Illner P, Kittay MJ, Steele JM Jr, Lowenstein J, Turndorf H. Rebound hypertension after sodium nitroprusside-induced hypotension. *Clin Pharmacol Ther*. 1980 Jan;27(1):32-6
- Freiberger NA, Tellor KB, Stevens AM. Comparison of Clevidipine Versus Sodium Nitroprusside for the Treatment of Postoperative Hypertension in Cardiac Surgery Patients. *Hosp Pharm*. 2016 Jun;51(6):461-7
- Kaufman L.: Controlled hypotension in anaesthesia produced by sodium nitroprusside (Nipruss) *Clinical Trials Journal*, 1979,17 No.2, 49-53.
- Micromedex, Inc. Vol. 97 (1974-1998), 2012
- Moraca P.P., Bitte E.M., Hale D.E., Wasmuth C.E., Poutasse E.F.: Clinical evaluation of Sodium Nitroprusside as a hypotensive agent. *Anaesthesiology*, 1962, 2323 No.2, 193-199
- Taylor T.H., Styles M., Lamming A.J.: Sodium nitroprusside as a hypo-tensive agent in general anaesthesia. *Brit. J. Anaesth.*, 1970,42, 859-863
- Tinker JM and Cucchiara RF: Use of Sodium nitroprusside during anaesthesia and surgery. *Int Anesthesiol Clin*. 1978 Summer;16(2):89-112.
- Vesey CJ, Cole PV, Linell JC, Wilson J: Some metabolic effects of Sodium nitroprusside in Man. *Brit. Med. Journal*, 1974,2, 140-142
- Young JD. Nitric oxide and related vasodilators. *Can·J. Anaesth.*, 1997,44 No.5, 23-28

ADMINISTRATION IN CHILDREN AND ADOLESCENTS

- Chandar J and Zilleruelo G. Hypertensive crisis in children. *Pediatr Nephrol*. 2012 May;27(5):741-51. doi: 10.1007/s00467-011-1964-0. Epub 2011 Jul 20
- Dunne J (2007) The European Regulation on medicines for paediatric use. *Paediatr Respir Rev* 8:177–183
- FDA https://bpca.nichd.nih.gov/prioritization/meetings/Documents/BPCA_Meeting_06-30-2008.pdf
- Flynn JT (2003) Successes and shortcomings of the FDA Modernization Act. *Am J Hypertens* 16:889–891 34.

Flynn JT and Tullus K. Severe hypertension in children and adolescents: Pathophysiology and treatment. *Pediatric Nephrology* 24(6):1101-12:2008.

Lurbe E, Agabiti-Roseic E, Cruickshank JK, Dominiczake A, Erdine S, Hirth A, Invitti C, Litwin M, Mancia G, Pall D, Rascher W, Redon J, Schaefer F, Seeman T, Sinha M, Stabouli S, Webb NJ, Wuehl E, and Zanchetti A. Recommendations of the European Society of Hypertension. *Journal of Hypertension* 2016, 34:000–000. DOI:10.1097/HJH.0000000000001039

NIH 2005. The Fourth Report On The Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents. U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES, National Institutes of Health, National Heart, Lung, and Blood Institute, NIH Publication No. 05-5267

Hypertensive crisis

Adams H, Adams R, Del ZG, Goldstein LB: Guidelines for the early management of patients with ischemic stroke: 2005 guidelines update a scientific statement from the Stroke Council of the American Heart Association/American Stroke Association. *Stroke* 2005, 36:916–923. Consensus guidelines of the American Heart Association Stroke Council, with specific recommendations on blood pressure lowering, including targets and recommended treatments in acute stroke

Adelman RD, Coppo R, Dillon MJ. The emergency management of severe hypertension. *Pediatr Nephrol* (2000) 14:422–427.

Baek JG, Jeong HL, Park JS, Seo JH, Park ES, Lim JY, Park CH, Woo HO, Youn HS, Yeom JS. Successful treatment by exchange transfusion of a young infant with sodium nitroprusside poisoning. *Korean J Pediatr*. 2010 Aug;53(8):805-8

Barrett JS, Hirankarn S, Holford N, Hammer GB, Drover DR, Cohane CA, Anderson B, Dombrowski E, Reece T, Zajicek A, Schulman SR. A hemodynamic model to guide blood pressure control during deliberate hypotension with sodium nitroprusside in children. *Front Pharmacol*. 2015 Jul 28; 6: 151. doi: 10.3389/fphar.2015.00151. eCollection 2015.

Benitz et al (USA). Use of sodium nitroprusside efficacy and safety in neonates. *J Pediatr* 106:102, 1985

Benzing G., Helmsworth Ja, Schrieber JT, Loggie J, Kaplan S. Nitroprusside after Open-Heart Surgery Supported in part by the American Heart Association, *Circulation* 54(3); 1976: 467-471

Butt W, Bohn D, Whyte H. Clinical experience with systemic vasodilator therapy in the newborn infant. *Aust Paediatr J*. 1986 May;22(2):117-20.

Calhoun DA, Oparil S. Treatment of hypertensive crises. *N Engl J Med* 1990; 323: 1177–83

Chandar J and Zilleruelo G. Hypertensive crisis in children. *Pediatr Nephrol*. 2012 May;27(5):741-51. doi: 10.1007/s00467-011-1964-0. Epub 2011 Jul 20

Deal JE, Barrat TM, Dillon MJ. Management of hypertensive emergencies. *Arch Dis Child* 1992; 67:1089–1092

Drover DR, Hammer GB, Barrett JS, Cohane CA, Reece T, Zajicek A and Schulman SR (2015). Evaluation of sodium nitroprusside for controlled hypotension in children during surgery. *Front. Pharmacol*.6:136. doi: 10.3389/fphar.2015.00136

- Haas AR and Marik PE. Current Diagnosis and Management of Hypertensive Emergency. *Seminars in Dialysis* 19(6) 2006: 502–512
- Horn DG, Trame MN, Hempel G. The management of hypertensive emergencies in children after stem cell transplantation. *Int J Clin Pharm*. 2011 Apr;33(2):165-76
- Houtman P. Management of Hypertensive Emergencies in Children. *Paed Perinatal Drug Ther* 2003; 5: 107–110.
- <http://clinicaltrials.gov/show/NCT00135668>
- <http://clinicaltrials.gov/show/NCT00621816>
- Huang X, Hou L, Tang J, Zhang Y, Chen F, Wang D. Central nervous system toxicity of sodium nitroprusside in treatment of patients with aortic dissection. *J Huazhong Univ Sci Technolog Med Sci*. 2012 Dec;32(6):927-30.
- Moffet BS and Price JF. Evaluation of sodium nitroprusside toxicity in pediatric cardiac surgical patients. *Ann Pharmacother*. 2008 Nov;42(11):1600-4.
- National High Blood Pressure Education Program (NHBPEP) Working Group on Children and Adolescents; it updates the previous publication, Update on the Task Force Report (1987) on High Blood Pressure in Children and Adolescents (*Pediatrics*. 1996; 98: 649–58), updated by U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES. *Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents*. NIH Publication No. 05-5267 (96-3790) Revised May 2005
- Nolan CH. Hypertensive crises. En Schrier RW, Wilcox CS. Eds. *Atlas of Diseases of the Kidney*. Vol. III. Hypertension and the Kidney. 1999. Philadelphia: Current Medicine y Blackwell Science 1999: 8.1-8.8.
- Quinlan C, Gill D, Waldron M, Awan A. Cyanide poisoning in the post-transplantation patient—a cautionary tale. *Pediatr Nephrol*. 2008 Dec;23(12):2273-5.
- Spence JD. New Treatment Options for Hypertension During Acute Ischemic or Hemorrhagic Stroke. *Current Treatment Options in Cardiovascular Medicine* 2007, 9:242–246
- Stein DR and Ferguson M. Evaluation and treatment of hypertensive crises in children. *Integrated Blood Pressure Control* 2016;9 49–58
- Suriporn Kunathai, Prapit Sudhas Na Ayuthya. Hemodynamic Effects of Sodium Nitroprusside in Infants and Children with Large Ventricular Septal Defect. *Pediatr Cardiol* 10:59, 1989
- Yang WC, Lin MJ, Chen CY, Wu HP. Clinical overview of hypertensive crisis in children. *World J Clin Cases* 2015 June 16; 3(6): 510-513

Controlled intra-operative hypotension

- Cheung AT, Cruz-Shiavone GE, Meng QC, Pochettino A, Augoustides JA, Bavaria JE, Ochroch EA. Cardiopulmonary bypass, hemolysis, and nitroprusside-induced cyanide production. *Anesth Analg*. 2007 Jul;105(1):29-33.
- Degoute CS, Ray MJ, Gueugniaud PY, Dubreuil C. Remifentanyl induces consistent and sustained controlled hypotension in children during middle ear surgery. *Can J Anaesth*. 2003 Mar;50(3):270-6

Hammer GB, Lewandowski A, Drover DR, et al. Safety and efficacy of sodium nitroprusside during prolonged infusion in pediatric patients. *Pediatr Crit Care Med*. 2015;16(5):397–403

Hersey SL, O'Dell NE, Lowe S, Rasmussen G, Tobias JD, Deshpande JK, Mencio G, and Green N. Nicardipine Versus Nitroprusside for Controlled Hypotension During Spinal Surgery in Adolescents. *Anesth Analg* 1997; 84: 1239-44

Spielberg DR, Barrett JS, Hammer GB, Drover DR, Reece T, Cohane CA, Schulman SR. Predictors of arterial blood pressure control during deliberate hypotension with sodium nitroprusside in children. *Anesth Analg*. 2014 Oct;119(4):867-74

Case presentation/casuistics

Deliu AG, Jeerigehalli Sanneerappa PB, Franklin O, Letshwiti J. Sodium nitroprusside, a lifesaving treatment for neonatal hypertension: an Irish experience. *BMJ Case Reports* 2018; doi:10.1136/bcr-2017-221856

Hypertension in pregnancy

Abalos E, Duley L, Steyn DW, Henderson-Smart DJ. Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. *Cochrane Database Syst Rev* 2001:CD002252

Guideline: European Society for Hypertension (ESH)/European Society for Cardiology ESC 2013 ESH/ESC Guidelines for management of arterial hypertension

Gonzalez R, Morales E, Segura J, Ruilope LM, Praga M. Long-term renal survival in malignant hypertension. *Nephrol Dial Transplant* 2010; 25: 3266–3272

Gosse P, Coulon P, Papaioannou G, Litalien J, Lemetayer P. Impact of malignant arterial hypertension on the heart. *J Hypertens* 2011; 29: 798–802

Kuklina EV, Tong X, Bansil P, George MG, Callaghan WM. Trends in pregnancy hospitalizations that included a stroke in the United States from 1994 to 2007: reasons for concern? *Stroke* 2011; 42: 2564–2570

Lane DA, Lip GY, Beevers DG. Improving survival of malignant hypertension patients over 40 years. *Am J Hypertens* 2009 (22): 1199-1204

Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germano G, Grassi G, Heagerty AM, Kjeldsen SE, Laurent S, Narkiewicz K, Ruilope L, Rynkiewicz A, Schmieder RE, Boudier HA, Zanchetti A, 2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). *J Hypertens* 2007;25:1105–1187

Martin JN Jr., Thigpen BD, Moore RC, Rose CH, Cushman J, May W. Stroke and severe preeclampsia and eclampsia: a paradigm shift focusing on systolic blood pressure. *Obstet Gynecol* 2005; 105: 246–254

Guideline: Hypertension in pregnancy. The management of hypertensive disorders during pregnancy. NICE Clinical Guidelines. No. 107. National Collaborating Centre for Women's and Children's Health (UK). London: RCOG Press, August 2010. https://webcache.googleusercontent.com/search?q=cache:jtagGlpG_gAJ:https://www.rcog.org.uk/en/guidelines-research-services/guidelines/hypertension-in-pregnancy-the-management-of-hypertensive-disorders-during-pregnancy-nice-clinical-guideline-107/+&cd=3&hl=de&ct=clnk&gl=de

Regitz-Zagrosek V, Blomstrom Lundqvist C, Borghi C, Cifkova R, Ferreira R, Foidart JM, Gibbs JS, Gohlke-Baerwolf C, Gorenek B, Iung B, Kirby M, Maas AH, Morais J, Nihoyannopoulos P, Pieper PG, Presbitero P, Roos-Hesselink JW, Schaufelberger M, Seeland U, Torracca L, Bax J, Auricchio A, Baumgartner H, ESC Guidelines on the management of cardiovascular diseases during pregnancy: the Task Force on the Management of Cardiovascular Diseases during Pregnancy of the European Society of Cardiology (ESC). *Eur Heart J* 2011;32:3147–3197

Vaughn CJ, Delanty N. Hypertensive emergencies. *Lancet* 2000; 356: 411-418

DOSAGE

Abraham P, Lockwood A, Patka J, Rabinovich M, Sutherland J and Chester K. In Hall AH, Isom GE and Rockwood GA. *Toxicology of Cyanides and Cyanogens*. Chp. 9. Sodium nitroprusside in intensive care medicine and issues of cyanide poisoning, cyanide poisoning prophylaxis, and thiocyanate poisoning. Published Online: 5 MAR 2016. DOI: 10.1002/9781118628966.ch9

AHFS Drug Information 2000: Sodium Nitroprusside 1719-1723.

Drug.com <http://www.drugs.com/mmx/nitroprusside-sodium.html>

Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg*. 1995 Jul;81(1):152-62

Gold M.E.: Pharmacology of the Nitrovasodilators. *Nursing Clinics of South America*, 1991, 26, 437-451

Kraut JA and Madias NE. Metabolic acidosis: pathophysiology, diagnosis and management. *Nat. Rev. Nephrol*. 6, 274–285 (2010)

Lockwood A, Patka J, Rabinovich M, Wyatt K, Abraham P. Sodium nitroprusside associated cyanide toxicity. *Journal of clinical trials* 2010;2:133-148

Schulz, V., Akute und subakute Toxizität von Nitroprussidnatrium, *Intensivmed*. 16, 1979: 320- 325

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinetics*, 9, 1984, 239-251

Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, *klein. Wochenzeitschrift*. 60, 1982: 1393-1400
Thomas C, Svehla L and Moffett BS. Sodium nitroprusside induced cyanide toxicity in pediatric patients *Expert Opin. Drug Saf.* (2009) 8(5): 1 – 4

Children and adolescents

Drover DR, Hammer GB, Barrett JS, Cohane CA, Reece T, Zajicek A and Schulman SR (2015). Evaluation of sodium nitroprusside for controlled hypotension in children during surgery. *Front. Pharmacol.*6:136. doi: 10.3389/fphar.2015.00136

DrugRxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>

<http://www.fda.gov/Drugs/DevelopmentApprovalProcess/DevelopmentResources/ucm077570.htm>

US FDA Pediatric Advisory committee 2017

CURRENT GUIDELINE RECOMMENDATIONS

Guideline: Hypertension in pregnancy. The management of hypertensive disorders during pregnancy. NICE Clinical Guidelines. No. 107. National Collaborating Centre for Women's and Children's Health (UK). London: RCOG Press, August 2010.
https://webcache.googleusercontent.com/search?q=cache:jtagGlpG_qAJ:https://www.rcog.org.uk/en/guidelines-research-services/guidelines/hypertension-in-pregnancy-the-management-of-hypertensive-disorders-during-pregnancy-nice-clinical-guideline-107/+&cd=3&hl=de&ct=clnk&gl=de

Guideline: European Society for Cardiology, ESC 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure

Guideline: European Society for Hypertension (ESH)/European Society for Cardiology ESC 2013 ESH/ESC Guidelines for management of arterial hypertension

Guideline: European Society of Cardiology 2011 ESC Guidelines on the management of cardiovascular diseases during pregnancy

Guideline: European society on the diagnosis and treatment of aortic diseases 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases

Guideline: European Society of Cardiology/European Society for Cardio-Thoracic Surgery 2017 ESC/EACTS Guidelines for the management of valvular heart disease

Guideline: European Society of Cardiology 2017 Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation

Guideline: German Society of Cardiology -Cardiovascular Research e.V. 2010 German-Austrian S3-Guideline „Infarction-related cardiogenic shock - diagnosis, monitoring and therapy“

Guideline: German Medical Association (BAEK); Association of German Medical Associations National Association of Statutory Health Insurance Physicians (KBV); Association of Scientific Medical Societies (AWMF); Drug Commission of the German Pharmacists (AMK) National Management Guideline Chronic Heart insufficiency 2nd edition 2017, Version 2 AWMF-Register-No.: nvl-006

Guideline: German Society for Paediatric Cardiology Guideline (S2k) Pediatric Cardiology, Pediatric Nephrology and Paediatrics: Arterial hypertension in childhood and adolescence, No. 023-040, 2013

Guideline: German Society for Vascular Surgery (DGG) 2010 Guideline Aortic dissection (Guideline for the diagnosis and treatment of type B dissections)

Guideline: German AMWMF (Association of Scientific Medical Societies e.V.), composed of 177 scientific societies (+ 3 associated) from all areas of medicine S3 Guideline for intensive medical care Cardiac surgery patient (Hemodynamic and cardiovascular monitoring)

Guideline: American Heart Association, AHA 2015 AHA Guideline Pediatric advanced life support

Guideline: American Heart Association, AHA 2017 AHA Guideline for the prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults

Guideline: American Academy of Pediatrics Clinical Practice Guideline Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents. Joseph T. Flynn, David C. Kaelber, Carissa M. Baker-Smith, Douglas Blowey, Aaron E. Carroll, Stephen R. Daniels, Sarah D. de Ferranti, Janis M. Dionne, Bonita Falkner, Susan K. Flinn, Samuel S. Gidding, Celeste Goodwin, Michael G. Leu, Makia E. Powers, Corinna Rea, Joshua Samuels, Madeline Simasek, Vidhu V. Thaker, Elaine M. Urbina, subcommittee on screening and management of high blood pressure in children. *Pediatrics*. September 2017, 140(3).

OVERVIEW OF SAFETY

Abraham P, Lockwood A, Patka J, Rabinovich M, Sutherland J and Chester K. In Hall AH, Isom GE and Rockwood GA. *Toxicology of Cyanides and Cyanogens*. Chp. 9. Sodium nitroprusside in intensive care medicine and issues of cyanide poisoning, cyanide poisoning prophylaxis, and thiocyanate poisoning. Published Online: 5 MAR 2016. DOI: 10.1002/9781118628966.ch9

Calhoun DA, Oparil S. Treatment of hypertensive crises. *N Engl J Med* 1990; 323: 1177–83

Cottrell JE, Patel K, Turndorf H, Ransohoff J. Intracranial pressure changes induced by sodium nitroprusside in patients with intracranial mass lesions. *J Neurosurg* 1978; 48: 329–31.

Drover DR, Hammer GB, Barrett JS, Cohane CA, Reece T, Zajicek A and Schulman SR (2015). Evaluation of sodium nitroprusside for controlled hypotension in children during surgery. *Front. Pharmacol.*6:136. doi: 10.3389/fphar.2015.00136

DrugRxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>

Guideline: American Heart Association, AHA 2017 AHA Guideline for the prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults

Guo S, Ashina M, Olesen J, Birk S. The effect of sodium nitroprusside on cerebral hemodynamics and headache in healthy subjects. *Cephalalgia*. 2013 Apr;33(5):301-7

Hammer GB, Connolly SG, Schulman SR, Lewandowski A, Cohane C, Reece TL, Anand R, Mitchell J and Drover DR. Sodium nitroprusside is not associated with metabolic acidosis during intraoperative infusion in children. *BMC Anesthesiology* 2013, 13:9 <http://www.biomedcentral.com/1471-2253/13/9>

Kraut JA and Madias NE. Metabolic acidosis: pathophysiology, diagnosis and management. *Nat. Rev. Nephrol.* 6, 274–285 (2010)

Lockwood A, Patka J, Rabinovich M, Wyatt K, Abraham P. Sodium nitroprusside associated cyanide toxicity. *Journal of clinical trials* 2010;2;133-148

Thomas C, Svehla L and Moffett BS. Sodium nitroprusside induced cyanide toxicity in pediatric patients *Expert Opin. Drug Saf.* (2009) 8(5): 1 – 4

Vaughn CJ, Delanty N. Hypertensive emergencies. *Lancet* 2000; 356: 411-418

Cyanide and Thiocyanate toxicity

- Abraham P, Lockwood A, Patka J, Rabinovich M, Sutherland J and Chester K. In Hall AH, Isom GE and Rockwood GA. Toxicology of Cyanides and Cyanogens. Chp. 9. Sodium nitroprusside in intensive care medicine and issues of cyanide poisoning, cyanide poisoning prophylaxis, and thiocyanate poisoning. Published Online: 5 MAR 2016. DOI: 10.1002/9781118628966.ch9
- Chung KH, Park SM, Baek IC, Jang J, Hong YW, Ahn S. Cyanide toxicity during cardiopulmonary bypass with small dose of nitroprusside: a case report. Korean J Anesthesiol. 2016 Apr;69(2):181-4
- Cohn JN, Burke LP. Nitroprusside. Ann Intern Med 1979;91: 752-7
- Cole PV and Vesey CJ. Sodium Thiosulphate Decreases Blood Cyanide Concentrations After The Infusion Of Sodium Nitroprusside Br. J. Anaesth. (1987), 59, 531-535
- Curry SC, Arnold-Capell P. Toxic effects of drugs used in the ICU. Nitroprusside, nitroglycerin, and angiotensin-converting enzyme inhibitors. Crit Care Clin 1991; 7: 555-81
- Drover DR, Hammer GB, Barrett JS, Cohane CA, Reece T, Zajicek A and Schulman SR (2015). Evaluation of sodium nitroprusside for controlled hypotension in children during surgery. Front. Pharmacol.6:136. doi: 10.3389/fphar.2015.00136
- Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. Anesth Analg. 1995 Jul;81(1):152-62
- Hall VA, Guest JM. Sodium nitroprusside-induced cyanide intoxication and prevention with sodium thiosulfate prophylaxis. Am J Crit Care 1992; 1: 19-27
- Hamilton, 2004 comment on: Baud FJ, Borron SW, Mégarbane B. Value of Lactic Acidosis in the Assessment of the Severity of Acute Cyanide Poisoning. Crit Care Med. 2002;30:2044-2050
- Hottinger DG, Beebe DS, Kozhimannil T, Prielipp RC, Belani KG. Sodium nitroprusside in 2014: A clinical concepts review. J Anaesthesiol Clin Pharmacol. 2014 Oct;30(4):462-71.
- Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. Int Anesthesia Clin 1978; 16: 1-29
- Ivankovich AD, Braverman B, Stephens TS, et al. Sodium thiosulfate disposition in humans: relation to sodium nitroprusside toxicity. Anesthesiology 1983; 58: 11-17
- Lundquist P, Rosling H, Tyden H. Cyanide release from sodium nitroprusside during coronary bypass in hypothermia. Acta Anaesthesiol Scand 1989; 33: 686-8
- McEvoy GK, ed. American Hospital Formulary Service, Drug Information 1994;24:08, 1163-6
- Morris AA, Page RL 2nd, Baumgartner LJ, Mueller SW, MacLaren R, Fish DN, Kiser TH. Thiocyanate Accumulation in Critically Ill Patients Receiving Nitroprusside Infusions. J Intensive Care Med. 2016 Jul 19. pii: 0885066616657004
- Page IH, Corcoran A C. Dustan HP, Koppanyi T. Cardiovascular actions of sodium nitroprusside in animals and hypertensive patients. Circulation 1955; 11: 188-98
- Pasch T, Schulz V and Hoppelshausen G. Nitroprusside-induced formation of cyanide and its detoxication with thiosulphate during deliberate hypotension. Journal of Cardiovascular Pharmacology 5: 77-85 (1983)

- Patterson SE, Monteil AR, Cohen JF, Crankshaw DL, Vince R, and Nagasawa HT. Cyanide Antidotes for Mass Casualties: Water-Soluble Salts of the Dithiane (Sulfanegen) from 3-Mercaptopyruvate for Intramuscular Administration. *J Med Chem.* 2013 Feb 14; 56(3): 1346–1349
- Sipe EK, Trienski TL, Porter JM. Cyanide toxicity in the surgical intensive care unit: a case report. *Am Surg.* 2001 Jul;67(7):684-6
- Tinker JM and Michenfelder JD. Sodium Nitroprusside: Pharmacology, Toxicology and Therapeutics. *Anesthesiology.* 1976 Sep;45(3):340-54.
- Udeh CI, Ting M, Arango M, Mick S. Delayed presentation of nitroprusside-induced cyanide toxicity. *Ann Thorac Surg.* 2015 Apr;99(4):1432-4. doi: 10.1016/j.athoracsur.2014.05.097

Safety in children and adolescents

- Kilic M, Ozturk F, Genc G, Sukru NG, Yildiz L, Sancac R. Sodium nitroprusside and toxic epidermal necrolysis. *Asian Pac J of Allergy Immunol* 30.3 (Sep 2012): 243-5
- Thomas C, Svehla L and Moffett BS. Sodium nitroprusside induced cyanide toxicity in pediatric patients *Expert Opin. Drug Saf.* (2009) 8(5): 1 – 4
- WHO-UMC, 01-2018

Overdose of Sodium Nitroprusside

- Chung KH, Park SM, Baek IC, Jang J, Hong YW, Ahn S. Cyanide toxicity during cardiopulmonary bypass with small dose of nitroprusside: a case report. *Korean J Anesthesiol.* 2016 Apr;69(2):181-4
- DrugRxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>
- Hammer GB, Connolly SG, Schulman SR, Lewandowski A, Cohane C, Reece TL, Anand R, Mitchell J and Drover DR. Sodium nitroprusside is not associated with metabolic acidosis during intraoperative infusion in children. *BMC Anesthesiology* 2013, 13:9 <http://www.biomedcentral.com/1471-2253/13/9>
- Hottinger DG, Beebe DS, Kozhimannil T, Prielipp RC, Belani KG. Sodium nitroprusside in 2014: A clinical concepts review. *J Anaesthesiol Clin Pharmacol.* 2014 Oct;30(4):462-71.
- Kraut JA and Madias NE. Metabolic acidosis: pathophysiology, diagnosis and management. *Nat. Rev. Nephrol.* 6, 274–285 (2010)
- Lockwood A, Patka J, Rabinovich M, Wyatt K, Abraham P. Sodium nitroprusside associated cyanide toxicity. *Journal of clinical trials* 2010;2;133-148
- Patterson SE, Monteil AR, Cohen JF, Crankshaw DL, Vince R, and Nagasawa HT. Cyanide Antidotes for Mass Casualties: Water-Soluble Salts of the Dithiane (Sulfanegen) from 3-Mercaptopyruvate for Intramuscular Administration. *J Med Chem.* 2013 Feb 14; 56(3): 1346–1349
- Schulz, V., Akute und subakute Toxizität von Nitroprussidnatrium, *Intensivmed.* 16, 1979: 320- 325

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinetics*, 9, 1984, 239-251

Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, *klein. Wochenzeitschrift*. 60, 1982: 1393-1400

Thomas C, Svehla L and Moffett BS. Sodium nitroprusside induced cyanide toxicity in pediatric patients *Expert Opin. Drug Saf.* (2009) 8(5): 1 – 4

Carboxyhaemoglobinaemia

Lopez-Herce J, Borrego R, Bustinza A, Carrillo A. Elevated carboxyhemoglobin associated with sodium nitroprusside treatment. *Intensive Care Med* (2005) 31:1235–1238

Thomas JE and Rosenwasser RH. Reversal of Severe Cerebral Vasospasm in Three Patients after Aneurysmal Subarachnoid Hemorrhage: Initial Observations Regarding the Use of Intraventricular Sodium Nitroprusside in Humans. *Neurosurgery* 1999, 44(1);48-57

Regional myocardial blood flow (RMBF)

Mann T, Cohn PF, Holman LB, Green LH, Markis JE, Phillips DA. Effect of nitroprusside on regional myocardial blood flow in coronary artery disease. Results in 25 patients and comparison with nitroglycerin. *Circulation*. 1978; 57: 732–8

Hottinger DG, Beebe DS, Kozhimannil T, Prielipp RC, Belani KG. Sodium nitroprusside in 2014: A clinical concepts review. *J Anaesthesiol Clin Pharmacol*. 2014 Oct;30(4):462-71.

Updated informative texts (SmPC safety part 4.2 to 4.9):

Posology and method of administration

Adelman RD, Coppo R, Dillon MJ. The emergency management of severe hypertension. *Pediatr Nephrol* (2000) 14:422–427

American Academy of Pediatrics Clinical Practice Guideline Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents. Joseph T. Flynn, David C. Kaelber, Carissa M. Baker-Smith, Douglas Blowey, Aaron E. Carroll, Stephen R. Daniels, Sarah D. de Ferranti, Janis M. Dionne, Bonita Falkner, Susan K. Flinn, Samuel S. Gidding, Celeste Goodwin, Michael G. Leu, Makia E. Powers, Corinna Rea, Joshua Samuels, Madeline Simasek, Vidhu V. Thaker, Elaine M. Urbina, subcommittee on screening and management of high blood pressure in children. *Pediatrics*. September 2017, 140(3)

Angelats EG and Baur EB. Hypertension, hypertensive crisis, and hypertensive emergency: approaches to emergency department care. *Emergencias* 2010; 22: 209-219

Bodigheimer K., Nowak F., Schoenborn W.: Pharmacokinetics and Thyrotoxicity of the Sodium Nitroprusside Metabolite Thiocyanate. Georg Thieme Publishers, 1979, 939-943

Cohn JN, Burke LP. Nitroprusside. *Ann Intern Med* 1979;91: 752-7

Comparator product US 2016

Drover DR, Hammer GB, Barrett JS, Cohane CA, Reece T, Zajicek A and Schulman SR (2015). Evaluation of sodium nitroprusside for controlled hypotension in children during surgery. *Front. Pharmacol.*6:136. doi: 10.3389/fphar.2015.00136

DrugRxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>

Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg*. 1995 Jul;81(1):152-62

Hall VA, Guest JM. Sodium nitroprusside-induced cyanide intoxication and prevention with sodium thiosulfate prophylaxis. *Am J Crit Care* 1992; 1: 19-27

Hammer GB, Lewandowski A, Drover DR, et al. Safety and efficacy of sodium nitroprusside during prolonged infusion in pediatric patients. *Pediatr Crit Care Med*. 2015;16(5):397–403

Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. *Int Anesthesia Clin* 1978; 16: 1-29.

Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. *Int Anesthesia Clin* 1978; 16: 1-29.

Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. *Int Anesthesia Clin* 1978; 16: 1-29.

Kulig K. Cyanide antidotes and fire toxicology. *N Engl J Med* 1991; 325: 1801-2

Lockwood A, Patka J, Rabinovich M, Wyatt K, Abraham P. Sodium nitroprusside associated cyanide toxicity. *Journal of clinical trials* 2010;2;133-148

Martindale 2012 (last reviewed 2010-08-24; last modified 2011-08-13)

McEvoy GK, ed. American Hospital Formulary Service, Drug Information 1994;24:08, 1163-6

Nipride package insert (Roche—US), 10/90, 1990

Nitropress (sodium nitroprusside) Injection, Solution [HOSPIRA, INC.] 2004.

Schulz, V., Akute und subakute Toxizität von Nitroprussidnatrium, *Intensivmed*. 16, 1979: 320- 325

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinetics*, 9, 1984, 239-251

Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, *klein. Wochenschrift*. 60, 1982: 1393-1400

Smith RP, Kruszyna H. Nitroprusside produces cyanide poisoning via reaction with hemoglobin. *J Pharmacol Exp Ther* 1974; 191:557-63

Stein DR and Ferguson M. Evaluation and treatment of hypertensive crises in children. *Integrated Blood Pressure Control* 2016;9 49–58

Vesey CJ, Cole PV, Linell JC, Wilson J: Some metabolic effects of Sodium nitroprusside in Man. *Brit. Med. Journal*, 1974,2, 140-142

Elderly patients

Abraham P, Lockwood A, Patka J, Rabinovich M, Sutherland J and Chester K. In Hall AH, Isom GE and Rockwood GA. *Toxicology of Cyanides and Cyanogens*. Chp. 9. Sodium nitroprusside in intensive care medicine and issues of cyanide poisoning, cyanide poisoning prophylaxis, and thiocyanate poisoning. Published Online: 5 MAR 2016. DOI: 10.1002/9781118628966.ch9

Coltart D.J.: Haemodynamic effects of sodium nitroprusside (Nipruss), following cardiac surgery. *Clinical Trials Journal*, 1979,16 No.2, 54-58

DrugRxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>

Marik PE, Varon J (2007) Hypertensive crises: Challenges and management. *Chest* 131:1949–1962

Paediatric population

Abraham P, Lockwood A, Patka J, Rabinovich M, Sutherland J and Chester K. In Hall AH, Isom GE and Rockwood GA. Toxicology of Cyanides and Cyanogens. Chp. 9. Sodium nitroprusside in intensive care medicine and issues of cyanide poisoning, cyanide poisoning prophylaxis, and thiocyanate poisoning. Published Online: 5 MAR 2016. DOI: 10.1002/9781118628966.ch9

Adelman RD, Coppo R, Dillon MJ. The emergency management of severe hypertension. *Pediatr Nephrol* (2000) 14:422–427.

Bennett NR and Abbott TR (1977). The use of sodium nitroprusside in children. *Anaesthesia* 32, 456–463. doi: 10.1111/j.1365-2044.1977.tb09983.x

Chandar J and Zilleruelo G. Hypertensive crisis in children. *Pediatr Nephrol.* 2012 May;27(5):741-51. doi: 10.1007/s00467-011-1964-0. Epub 2011 Jul 20

Deal JE, Barrat TM, Dillon MJ. Management of hypertensive emergencies. *Arch Dis Child* 1992; 67:1089–1092

Drover DR, Hammer GB, Barrett JS, Cohane CA, Reece T, Zajicek A and Schulman SR (2015). Evaluation of sodium nitroprusside for controlled hypotension in children during surgery. *Front. Pharmacol.*6:136. doi: 10.3389/fphar.2015.00136

Dunne J (2007) The European Regulation on medicines for paediatric use. *Paediatr Respir Rev* 8:177–183

Flynn JT (2003) Successes and shortcomings of the FDA Modernization Act. *Am J Hypertens* 16:889–891 34.

Gordillo-Paniagua G, Velasquez-Jones L, Martini R, Valdez-Bolaños E. Sodium nitroprusside treatment of severe arterial hypertension in children. *J Pediatr.* 1975;87(5):799–802

Hammer GB, Connolly SG, Schulman SR, Lewandowski A, Cohane C, Reece TL, Anand R, Mitchell J and Drover DR. Sodium nitroprusside is not associated with metabolic acidosis during intraoperative infusion in children. *BMC Anesthesiology* 2013, 13:9 <http://www.biomedcentral.com/1471-2253/13/9>

Hammer GB, Lewandowski A, Drover DR, et al. Safety and efficacy of sodium nitroprusside during prolonged infusion in pediatric patients. *Pediatr Crit Care Med.* 2015;16(5):397–403

Houtman P. Management of Hypertensive Emergencies in Children. *Paed Perinatal Drug Ther* 2003; 5: 107–110.

Luderer JR, Hayes AH Jr, Dubnsky O, Berlin CM. Long-term administration of sodium nitroprusside in childhood. *J Pediatr.* 1977;91(3):490–491

National High Blood Pressure Education Program Working Group on High Blood Pressure in Children and Adolescents (2005)

NCT00135668

Public law Best Pharmaceuticals for Children Act 2002

Stein DR and Ferguson M. Evaluation and treatment of hypertensive crises in children. *Integrated Blood Pressure Control* 2016;9 49–58

USFDA Pediatric Advisory committee 2017 Pediatric Focused Safety Review: Sodium Nitroprusside (Nitropress®) Pediatric Advisory Committee Meeting March 6, 2017

Vesey CJ, Cole PV. Blood cyanide and thiocyanate concentrations produced by long-term therapy with sodium nitroprusside. *Br J Anaesth.* 1985 Feb;57(2):148-55

Contraindications

Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg.* 1995 Jul;81(1):152-62

Gold M.E.: Pharmacology of the Nitrovasodilators. *Nursing Clinics of South America*, 1991, 26, 437-451

Martindale The Extra Pharmacopoeia 1996. Cardiovascular Agents. Sodium Nitroprusside 943-945

Rodrigo C. Induced hypotension during anesthesia. *Anesth Prog* 42:41-58, 1995.

Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinetics*, 9, 1984, 239-251

Vesey CJ, Cole PV, Linell JC, Wilson J: Some metabolic effects of Sodium nitroprusside in Man. *Brit. Med. Journal*, 1974,2, 140-142

Special warnings and precautions for use

AHFS Drug Information 2000: Sodium Nitroprusside 1719-1723.

Baek JG, Jeong HL, Park JS, Seo JH, Park ES, Lim JY, Park CH, Woo HO, Youn HS, Yeom JS. Successful treatment by exchange transfusion of a young infant with sodium nitroprusside poisoning. *Korean J Pediatr.* 2010 Aug;53(8):805-8

Baskin SI and Brewer TG. Cyanide Poisoning. In: *Cpt 10, Medical Aspects of Chemical and Biological Warfare* (1997), pp. 271-286

Blumenfeld JD, Laragh JH. Management of hypertensive crisis: the scientific basis for treatment decisions *Am J Hypertens.* 2001; 14: 1154-67

Borron SW. Recognition and Treatment of Acute Cyanide Poisoning. *J Emerg Nurs* 32:4S, 2006: 13-18

Chung KH, Park SM, Baek IC, Jang J, Hong YW, Ahn S. Cyanide toxicity during cardiopulmonary bypass with small dose of nitroprusside: a case report. *Korean J Anesthesiol.* 2016 Apr;69(2):181-4

Cohn JN, Burke LP. Nitroprusside. *Ann Intern Med* 1979;91: 752-7

Coltart D.J.: Haemodynamic effects of sodium nitroprusside (Nipruss), following cardiac surgery. *Clinical Trials Journal*, 1979,16 No.2, 54-58

Corbin JD. Mechanisms of action of PDE5 inhibition in erectile dysfunction. *Intl J Impot Res* (2004) 16, S4-S7

Curry SC, Arnold-Capell P. Toxic effects of drugs used in the ICU. Nitroprusside, nitroglycerin, and angiotensin-converting enzyme inhibitors. *Crit Care Clin* 1991; 7: 555-81

Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg.* 1995 Jul;81(1):152-62

- Hall VA, Guest JM. Sodium nitroprusside-induced cyanide intoxication and prevention with sodium thiosulfate prophylaxis. *Am J Crit Care* 1992; 1: 19-27
- Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. *Int Anesthesia Clin* 1978; 16: 1-29
- Ivankovich AD, Braverman B, Stephens TS, et al. Sodium thiosulfate disposition in humans: relation to sodium nitroprusside toxicity. *Anesthesiology* 1983; 58: 11-17
- Kaufman L.: Controlled hypotension in anaesthesia produced by sodium nitroprusside (Nipruss) *Clinical Trials Journal*, 1979,17 No.2, 49-53.
- Kloner RA, Hutter AM, Emmick JT, Mitchell MI, Denne J, Jackson G. Time course of the interaction between tadalafil and nitrates. *J Am Coll Cardiol* 2003; 42: 1855–1860
- Kostis JB, Jackson G, Rosen R, Barrett-Connor E, Billups K, Burnett AL, Carson C, Cheitlin M, Debusk R, Fonseca V, Ganz P, Goldstein I, Guay A, Hatzichristou D, Hollander JE, Hutter A, Katz S, Kloner RA, Mittleman M, Montorsi F, Montorsi P, Nehra A, Sadovsky R, Shabsigh R. Sexual dysfunction and cardiac risk (the Second Princeton Consensus Conference). *Am J Cardiol.* (2005) 96, 313–21
- Kurtz A, Götz K-H, Hamann M, Wagner C. Stimulation of renin secretion by nitric oxide is mediated by phosphodiesterase 3. *Proceedings of the National Academy of Sciences of the United States of America.* 1998;95(8):4743-4747
- Lundquist P, Rosling H, Tyden H. Cyanide release from sodium nitroprusside during coronary bypass in hypothermia. *Acta Anaesthesiol Scand* 1989; 33: 686-8
- McEvoy GK, ed. *American Hospital Formulary Service, Drug Information* 1994;24:08, 1163-8
- Nessim SJ, Richardson RM. Dialysis for thiocyanate intoxication: a case report and review of the literature. *ASAIO J.* 2006 Jul-Aug;52(4):479-81
- Page IH, Corcoran A C, Dustan HP, Koppányi T. Cardiovascular actions of sodium nitroprusside in animals and hypertensive patients. *Circulation* 1955; 11: 188-98
- Rechetzki, K.F., Henneberg, R., da Silva, P.H. et al, Reference values for methemoglobin concentrations in children. *Rev Bras Hematol Hemoter.* 2012;34:14–16.
- Rodrigo C. Induced hypotension during anesthesia. *Anesth Prog* 42:41-58, 1995.
- SmPC ADCIRCA 2013; EMA EPAR, WC500032789
http://www.ema.europa.eu/docs/en_GB/document_library/EPAR_-_Product_Information/human/001021/WC500032789.pdf
- Taylor T.H., Styles M., Lamming A.J.: Sodium nitroprusside as a hypo-tensive agent in general anaesthesia. *Brit.J.Anaesth.*, 1970,42, 859-863
- Tinker JM and Michenfelder JD. Sodium Nitroprusside: Pharmacology, Toxicology and Therapeutics. *Anesthesiology.* 1976 Sep;45(3):340-54.
- Webb DJ, Muirhead GJ, Wulff M, et al. Sildenafil citrate potentiates the hypotensive effects of nitric oxide donor drugs in male patients with stable angina. *J Am Coll Cardiol* 2000; 36: 25–31
- Young JD. Nitric oxide and related vasodilators. *Can·J. Anaesth.*, 1997,44 No.5, 23-28

Interaction with other medicinal products and other forms of interaction

Lian TY, Jiang X, Jing ZC. Riociguat: a soluble guanylate cyclase stimulator for the treatment of pulmonary hypertension. *Drug Des Devel Ther.* 2017 Apr 13; 11: 1195-1207

Fertility, pregnancy and lactation

Abalos E, Duley L, Steyn DW, Henderson-Smart DJ. Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. *Cochrane Database Syst Rev* 2001:CD002252

Kuklina EV, Tong X, Bansil P, George MG, Callaghan WM. Trends in pregnancy hospitalizations that included a stroke in the United States from 1994 to 2007: reasons for concern? *Stroke* 2011; 42: 2564–2570

Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germano G, Grassi G, Heagerty AM, Kjeldsen SE, Laurent S, Narkiewicz K, Ruilope L, Rynkiewicz A, Schmieder RE, Boudier HA, Zanchetti A, 2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). *J Hypertens* 2007;25:1105–1187

Martin JN Jr., Thigpen BD, Moore RC, Rose CH, Cushman J, May W. Stroke and severe preeclampsia and eclampsia: a paradigm shift focusing on systolic blood pressure. *Obstet Gynecol* 2005; 105: 246–254

Guideline: Hypertension in pregnancy. The management of hypertensive disorders during pregnancy. NICE Clinical Guidelines. No. 107. National Collaborating Centre for Women's and Children's Health (UK). London: RCOG Press, August 2010.
https://webcache.googleusercontent.com/search?q=cache:jtagGlpG_gAJ:https://www.rcog.org.uk/en/guidelines-research-services/guidelines/hypertension-in-pregnancy-the-management-of-hypertensive-disorders-during-pregnancy-nice-clinical-guideline-107/+&cd=3&hl=de&ct=clnk&gl=de

Regitz-Zagrosek V, Blomstrom Lundqvist C, Borghi C, Cifkova R, Ferreira R, Foidart JM, Gibbs JS, Gohlke-Baerwolf C, Gorenek B, Iung B, Kirby M, Maas AH, Morais J, Nihoyannopoulos P, Pieper PG, Presbitero P, Roos-Hesselink JW, Schaufelberger M, Seeland U, Torracca L, Bax J, Auricchio A, Baumgartner H, ESC Guidelines on the management of cardiovascular diseases during pregnancy: the Task Force on the Management of Cardiovascular Diseases during Pregnancy of the European Society of Cardiology (ESC). *Eur Heart J* 2011;32:3147–3197

Effects on ability to drive and use machines

QRD-template, Version 10, 02/2016

Undesirable effects

DrugRxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>

Kraut JA and Madias NE. Metabolic acidosis: pathophysiology, diagnosis and management. *Nat. Rev. Nephrol.* 6, 274–285 (2010)

Lockwood A, Patka J, Rabinovich M, Wyatt K, Abraham P. Sodium nitroprusside associated cyanide toxicity. *Journal of clinical trials* 2010;2:133-148

Thomas C, Svehla L and Moffett BS. Sodium nitroprusside induced cyanide toxicity in pediatric patients *Expert Opin. Drug Saf.* (2009) 8(5): 1 – 4

Reporting of suspected adverse reactions

QRD-template, Version 10, 02/2016

Overdose

- S Chung KH, Park SM, Baek IC, Jang J, Hong YW, Ahn S. Cyanide toxicity during cardiopulmonary bypass with small dose of nitroprusside: a case report. *Korean J Anesthesiol.* 2016 Apr;69(2):181-4
- DrugRxlist.com 2010 <http://www.drugs.com/mmx/nitroprusside-sodium.html>
- Hammer GB, Connolly SG, Schulman SR, Lewandowski A, Cohane C, Reece TL, Anand R, Mitchell J and Drover DR. Sodium nitroprusside is not associated with metabolic acidosis during intraoperative infusion in children. *BMC Anesthesiology* 2013, 13:9 <http://www.biomedcentral.com/1471-2253/13/9>
- Hottinger DG, Beebe DS, Kozhimannil T, Prielipp RC, Belani KG. Sodium nitroprusside in 2014: A clinical concepts review. *J Anaesthesiol Clin Pharmacol.* 2014 Oct;30(4):462-71.
- Kraut JA and Madias NE. Metabolic acidosis: pathophysiology, diagnosis and management. *Nat. Rev. Nephrol.* 6, 274–285 (2010)
- Lockwood A, Patka J, Rabinovich M, Wyatt K, Abraham P. Sodium nitroprusside associated cyanide toxicity. *Journal of clinical trials* 2010;2;133-148
- Patterson SE, Monteil AR, Cohen JF, Crankshaw DL, Vince R, and Nagasawa HT. Cyanide Antidotes for Mass Casualties: Water-Soluble Salts of the Dithiane (Sulfanegen) from 3-Mercaptopyruvate for Intramuscular Administration. *J Med Chem.* 2013 Feb 14; 56(3): 1346–1349
- Schulz, V., Akute und subakute Toxizität von Nitroprussidnatrium, *Intensivmed.* 16, 1979: 320- 325
- Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinteics*, 9, 1984, 239-251
- Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, *klein. Wochenschrift.* 60, 1982: 1393-1400
- Thomas C, Svehla L and Moffett BS. Sodium nitroprusside induced cyanide toxicity in pediatric patients *Expert Opin. Drug Saf.* (2009) 8(5): 1 – 4

BENEFIT AND RISK CONCLUSION

- Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg.* 1995 Jul;81(1):152-62
- Gold M.E.: Pharmacology of the Nitrovasodilators. *Nursing Clinics of South America*, 1991, 26, 437-451
- Martindale The Extra Pharmacopoeia 1996. Cardiovascular Agents. Sodium Nitroprusside 943-945
- Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinteics*, 9, 1984, 239-251

LITERATURE REFERENCES - all

- Abalos E, Duley L, Steyn DW, Henderson-Smart DJ. Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. *Cochrane Database Syst Rev* 2001:CD002252
- Abdelwahab W, Frishman W, Landau A: Management of hypertensive urgencies and emergencies. *J Clinical Pharmacol*, 1995,35, 747-762.
- Abraham P, Lockwood A, Patka J, Rabinovich M, Sutherland J and Chester K. In Hall AH, Isom GE and Rockwood GA. *Toxicology of Cyanides and Cyanogens*. Chp. 9. Sodium nitroprusside in intensive care medicine and issues of cyanide poisoning, cyanide poisoning prophylaxis, and thiocyanate poisoning. Published Online: 5 MAR 2016. DOI: 10.1002/9781118628966.ch9
- Adams H, Adams R, Del ZG, Goldstein LB: Guidelines for the early management of patients with ischemic stroke: 2005 guidelines update a scientific statement from the Stroke Council of the American Heart Association/American Stroke Association. *Stroke* 2005, 36:916–923. Consensus guidelines of the American Heart Association Stroke Council, with specific recommendations on blood pressure lowering, including targets and recommended treatments in acute stroke.
- Adelman RD, Coppo R, Dillon MJ. The emergency management of severe hypertension. *Pediatr Nephrol* (2000) 14:422–427.
- AHFS Drug Information 2000: Sodium Nitroprusside 1719-1723.
- Amr YM, Amin SM. Effects of preoperative β -blocker on blood loss and blood transfusion during spinal surgeries with sodium nitroprusside-controlled hypotension. *Saudi J Anaesth* 2012; 6: 263-7.
- Angelats EG and Baur EB. Hypertension, hypertensive crisis, and hypertensive emergency: approaches to emergency department care. *Emergencias* 2010; 22: 209-219.
- Aronow WS. Treatment of hypertensive emergencies. *Ann Transl Med* 2017;5(Suppl 1):S5. doi: 10.21037/atm.2017.03.34
- Aydin GO, Oezlue O, Alacakir H, Aksoy M. Controlled Hypotension: Remifentanyl or Esmolol during Tympanoplasty. *Mediterr J Otol* 2008; 4: 125-131.
- Baek JG, Jeong HL, Park JS, Seo JH, Park ES, Lim JY, Park CH, Woo HO, Youn HS, Yeom JS. Successful treatment by exchange transfusion of a young infant with sodium nitroprusside poisoning. *Korean J Pediatr*. 2010 Aug;53(8):805-8.
- Barrett JS, Hirankarn S, Holford N, Hammer GB, Drover DR, Cohane CA, Anderson B, Dombrowski E, Reece T, Zajicek A, Schulman SR. A hemodynamic model to guide blood pressure control during deliberate hypotension with sodium nitroprusside in children. *Front Pharmacol*. 2015 Jul 28; 6: 151. doi: 10.3389/fphar.2015.00151. eCollection 2015.
- Baskin SI and Brewer TG. Cyanide Poisoning. In: *Cpt 10, Medical Aspects of Chemical and Biological Warfare* (1997), pp. 271-286.

- Baxter K, Preston CL (Eds), Stockley's Drug Interactions. [online] London: Pharmaceutical Press. <<http://www.medicinescomplete.com/>> [Accessed on 29 Nov 2012 (GMT)]
- Benitz et al (USA). Use of sodium nitroprusside efficacy and safety in neonates. *J Pediatr* 106:102, 1985.
- Bennett, N. R., and Abbott, T. R. (1977). The use of sodium nitroprusside in children. *Anaesthesia* 32, 456–463. doi: 10.1111/j.1365-2044.1977.tb09983.x
- Benzing G., Helmsworth Ja, Schrieber JT, Loggie J, Kaplan S. Nitroprusside after Open-Heart Surgery Supported in part by the American Heart Association, *Circulation* 54(3); 1976: 467-471.
- Bernard JM, Pinaud M, Ganansia MF, Chatelier H, Souron R, Letenneur J. Systemic haemodynamic and metabolic effects of deliberate hypotension with isoflurane anaesthesia or sodium nitroprusside during total hip arthroplasty. *Can J Anaesth* 1987; 34: 135–40.
- Blumenfeld JD, Laragh JH. Management of hypertensive crisis: the scientific basis for treatment decisions *Am J Hypertens.* 2001; 14: 1154-67
- Bodigheimer K., Nowak F., Schoenborn W.: Pharmacokinetics and Thyrotoxicity of the Sodium Nitroprusside Metabolite Thiocyanate. Georg Thieme Publishers, 1979, 939-943.
- Borron SW. Recognition and Treatment of Acute Cyanide Poisoning. *J Emerg Nurs* 32:4S, 2006: 13-18.
- British National Formulary. [online] 2012 <http://www.medicinescomplete.com/> > accessed on 24 Jan 2012.
- Butt W, Bohn D, Whyte H. Clinical experience with systemic vasodilator therapy in the newborn infant. *Aust Paediatr J.* 1986 May;22(2):117-20.
- Calhoun DA, Oparil S. Treatment of hypertensive crises. *N Engl J Med* 1990; 323: 1177–83.
- Chandar J and Zilleruelo G. Hypertensive crisis in children. *Pediatr Nephrol.* 2012 May;27(5):741-51. doi: 10.1007/s00467-011-1964-0. Epub 2011 Jul 20.
- Cherney D, Straus S, Management of Patients with hypertensive urgencies and with emergencies. *J Gen Intern Med,* 2002; 17: 937-945.
- Cheung AT, Cruz-Shiavone GE, Meng QC, Pochettino A, Augoustides JA, Bavaria JE, Ochroch EA. Cardiopulmonary bypass, hemolysis, and nitroprusside-induced cyanide production. *Anesth Analg.* 2007 Jul;105(1):29-33.
- Chung KH, Park SM, Baek IC, Jang J, Hong YW, Ahn S. Cyanide toxicity during cardiopulmonary bypass with small dose of nitroprusside: a case report. *Korean J Anesthesiol.* 2016 Apr;69(2):181-4.
- ClinicalTrials.gov Identifier: NCT00135668
- ClinicalTrials.gov Identifier: NCT00621816
- Cohn JN, Burke LP. Nitroprusside. *Ann Intern Med* 1979;91: 752-7.

- Cole PV and Vesey CJ. Sodium Thiosulphate Decreases Blood Cyanide Concentrations After The Infusion Of Sodium Nitroprusside. *Br. J. Anaesth.* (1987), 59, 531-535
- Coltart D.J.: Haemodynamic effects of sodium nitroprusside (Nipruss), following cardiac surgery. *Clinical Trials Journal*, 1979,16 No.2, 54-58
- Corbin JD. Mechanisms of action of PDE5 inhibition in erectile dysfunction. *Intl J Impot Res* (2004) 16, S4–S7
- Cottrell JE, Patel K, Turndorf H, Ransohoff J. Intracranial pressure changes induced by sodium nitroprusside in patients with intracranial mass lesions. *J Neurosurg* 1978; 48: 329–31.
- Cottrell JE, Illner P, Kittay MJ, Steele JM Jr, Lowenstein J, Turndorf H. Rebound hypertension after sodium nitroprusside-induced hypotension. *Clin Pharmacol Ther.* 1980 Jan;27(1):32-6.
- Curry SC, Arnold-Capell P. Toxic effects of drugs used in the ICU. Nitroprusside, nitroglycerin, and angiotensin-converting enzyme inhibitors. *Crit Care Clin* 1991; 7: 555-81.
- Deal JE, Barrat TM, Dillon MJ. Management of hypertensive emergencies. *Arch Dis Child* 1992; 67:1089–1092.
- Degoute CS, Ray MJ, Gueugniaud PY, Dubreuil C. Remifentanyl induces consistent and sustained controlled hypotension in children during middle ear surgery. *Can J Anaesth.* 2003 Mar;50(3):270-6.
- Degoute CS. Controlled hypotension: a guide to drug choice. *Drugs.* 2007; 67(7): 1053-76.
- Drover DR, Hammer GB, Barrett JS, Cohane CA, Reece T, Zajicek A and Schulman SR (2015). Evaluation of sodium nitroprusside for controlled hypotension in children during surgery. *Front. Pharmacol.*6:136. doi: 10.3389/fphar.2015.00136.
- Drug.com <http://www.drugs.com/mmx/nitroprusside-sodium.html>; Rxlist.com 2010
- Dunne J (2007) The European Regulation on medicines for paediatric use. *Paediatr Respir Rev* 8:177–183
- FDA https://bpca.nichd.nih.gov/prioritization/meetings/Documents/BPCA_Meeting_06-30-2008.pdf
- Flynn JT (2003) Successes and shortcomings of the FDA Modernization Act. *Am J Hypertens* 16:889–891 34.
- Flynn JT and Tullus K. Severe hypertension in children and adolescents: Pathophysiology and treatment. *Pediatric Nephrology* 24(6):1101-12:2008.
- Francis SH, Busch JL, Corbin JD. cGMP-Dependent Protein Kinases and cGMP Phosphodiesterases in Nitric Oxide and cGMP Action. Sibley D, ed. *Pharmacological Reviews.* 2010;62(3):525-563. doi:10.1124/pr.110.002907.
- Freiberger NA, Tellor KB, Stevens AM. Comparison of Clevidipine Versus Sodium Nitroprusside for the Treatment of Postoperative Hypertension in Cardiac Surgery Patients. *Hosp Pharm.* 2016 Jun;51(6):461-7.

- Friedrich J.A. and Butterworth J.F.: Sodium Nitroprusside: Twenty Years and Counting. *Anesth Analg.* 1995 Jul;81(1):152-62.
- Gilbert C, Cherney DZ, Parker AB, Mak S, Floras JS, Al-Hesayen A, Parker JD. Hemodynamic and neurochemical determinates of renal function in chronic heart failure. *Am J Physiol Regul Integr Comp Physiol.* 2016 Jan 15;310(2):R167-75. doi: 10.1152/ajpregu.00190.2015. Epub 2015 Nov 11.
- Gold M.E.: Pharmacology of the Nitrovasoldilators. *Nursing Clinics of South America*, 1991, 26, 437-451
- Gonzalez R, Morales E, Segura J, Ruilope LM, Praga M. Long-term renal survival in malignant hypertension. *Nephrol Dial Transplant* 2010; 25: 3266–3272.
- Gordillo-Paniagua G, Velasquez-Jones L, Martini R, Valdez-Bolaños E. Sodium nitroprusside treatment of severe arterial hypertension in children. *J Pediatr.* 1975;87(5):799–802.
- Gosse P, Coulon P, Papaioannou G, Litalien J, Lemetayer P. Impact of malignant arterial hypertension on the heart. *J Hypertens* 2011; 29: 798–802.
- Guideline: Hypertension in pregnancy. The management of hypertensive disorders during pregnancy. NICE Clinical Guidelines. No. 107. National Collaborating Centre for Women’s and Children’s Health (UK). London: RCOG Press, August 2010.
https://webcache.googleusercontent.com/search?q=cache:jtagGlpG_gAJ:https://www.rcog.org.uk/en/guidelines-research-services/guidelines/hypertension-in-pregnancy-the-management-of-hypertensive-disorders-during-pregnancy-nice-clinical-guideline-107/+&cd=3&hl=de&ct=clnk&gl=de
- Guideline: European Society for Cardiology, ESC 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure
- Guideline: European Society for Hypertension (ESH)/European Society for Cardiology ESC 2013 ESH/ESC Guidelines for management of arterial hypertension
- Guideline: European Society of Cardiology 2011 ESC Guidelines on the management of cardiovascular diseases during pregnancy
- Guideline: European society on the diagnosis and treatment of aortic diseases 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases
- Guideline: European Society of Cardiology/European Society for Cardio-Thoracic Surgery 2017 ESC/EACTS Guidelines for the management of valvular heart disease
- Guideline: European Society of Cardiology 2017 Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation
- Guideline: German Society of Cardiology -Cardiovascular Research e.V. 2010 German-Austrian S3-Guideline „Infarction-related cardiogenic shock - diagnosis, monitoring and therapy“
- Guideline: German Medical Association (BAEK); Association of German Medical Associations National Association of Statutory Health Insurance Physicians (KBV); Association of Scientific Medical Societies (AWMF); Drug Commission of

the German Pharmacists (AMK) National Management Guideline Chronic Heart insufficiency 2nd edition 2017, Version 2 AWMF-Register-No.: nvl-006

- Guideline: German Society for Paediatric Cardiology Guideline (S2k) Pediatric Cardiology, Pediatric Nephrology and Paediatrics: Arterial hypertension in childhood and adolescence, No. 023-040, 2013
- Guideline: German Society for Vascular Surgery (DGG) 2010 Guideline Aortic dissection (Guideline for the diagnosis and treatment of type B dissections)
- Guideline: German AMWMF (Association of Scientific Medical Societies e.V.), composed of 177 scientific societies (+ 3 associated) from all areas of medicine S3 Guideline for intensive medical care Cardiac surgery patient (Hemodynamic and cardiovascular monitoring)
- Guideline: American Heart Association, AHA 2015 AHA Guideline Pediatric advanced life support
- Guideline: American Heart Association, AHA 2017 AHA Guideline for the prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults
- Guideline: American Academy of Pediatrics Clinical Practice Guideline Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents. Joseph T. Flynn, David C. Kaelber, Carissa M. Baker-Smith, Douglas Blowey, Aaron E. Carroll, Stephen R. Daniels, Sarah D. de Ferranti, Janis M. Dionne, Bonita Falkner, Susan K. Flinn, Samuel S. Gidding, Celeste Goodwin, Michael G. Leu, Makia E. Powers, Corinna Rea, Joshua Samuels, Madeline Simasek, Vidhu V. Thaker, Elaine M. Urbina, subcommittee on screening and management of high blood pressure in children. Pediatrics. September 2017, 140(3).
- Guo S, Ashina M, Olesen J, Birk S. The effect of sodium nitroprusside on cerebral hemodynamics and headache in healthy subjects. Cephalalgia. 2013 Apr;33(5):301-7.
- Haas AR and Marik PE. Current Diagnosis and Management of Hypertensive Emergency. Seminars in Dialysis 19(6) 2006: 502–512.
- Haas CE, LeBlanc JM (2004) Acute postoperative hypertension: a review of therapeutic options. Am J Health Syst Pharm 61:1661–1673
- Hall VA, Guest JM. Sodium nitroprusside-induced cyanide intoxication and prevention with sodium thiosulfate prophylaxis. Am J Crit Care 1992; 1: 19-27.
- Hamilton RJ. Value of Lactic Acidosis in the Assessment of the Severity of Acute Cyanide Poisoning. Annals of Emergency Medicine. 43(2):299–300, 2004
- Hammer GB, Lewandowski A, Drover DR, et al. Safety and efficacy of sodium nitroprusside during prolonged infusion in pediatric patients. Pediatr Crit Care Med. 2015;16(5):397–403.
- Hammer GB, Connolly SG, Schulman SR, Lewandowski A, Cohane C, Reece TL, Anand R, Mitchell J and Drover DR. Sodium nitroprusside is not associated with metabolic acidosis during intraoperative infusion in children. BMC Anesthesiology 2013, 13:9 <http://www.biomedcentral.com/1471-2253/13/9>

- Hersey SL, O'Dell NE, Lowe S, Rasmussen G, Tobias JD, Deshpande JK, Mencio G, and Green N. Nicardipine Versus Nitroprusside for Controlled Hypotension During Spinal Surgery in Adolescents. *Anesth Analg* 1997; 84: 1239-44.
- Himwich WA, Saunders JP. Enzymatic conversion of cyanide to thiocyanate. *Am J Physiol* 1948; 153: 348.
- Hirschl MM et al Safety and efficacy of urapidil and sodium nitroprusside in the treatment of hypertensive emergencies. *Intensive Care Medicine* 1997; 23(8): 885-888
- Horn DG, Trame MN, Hempel G. The management of hypertensive emergencies in children after stem cell transplantation. *Int J Clin Pharm.* 2011 Apr;33(2):165-76.
- Hottinger DG, Beebe DS, Kozhimannil T, Prielipp RC, Belani KG. Sodium nitroprusside in 2014: A clinical concepts review. *J Anaesthesiol Clin Pharmacol.* 2014 Oct;30(4):462-71.
- Houtman P. Management of Hypertensive Emergencies in Children. *Paed Perinatal Drug Ther* 2003; 5: 107–110.
- Hsieh Y.Y., Goldberg L.I.: Hemodynamic consequences of administration of p hentolamine or nitroprussid e with dopamine i n the d og. *J Cardiovasc Pharmacol* 1(3): 3 79-88, 1979.
- <http://www.fda.gov/Drugs/DevelopmentApprovalProcess/DevelopmentResources/ucm077570.htm>
- <http://www.rxlist.com/nitropress-drug/side-effects-interactions.htm>
- Huang X, Hou L, Tang J, Zhang Y, Chen F, Wang D. Central nervous system toxicity of sodium nitroprusside in treatment of patients with aortic dissection. *J Huazhong Univ Sci Technolog Med Sci.* 2012 Dec;32(6):927-30.
- Ivankovich AD, Braverman B, Stephens TS, et al. Sodium thiosulfate disposition in humans: relation to sodium nitroprusside toxicity. *Anesthesiology* 1983; 58: 11-17.
- Ivankovich AD, Miletich DJ, Tinker JH. Sodium nitroprusside: metabolism and general considerations. *Int Anesthesia Clin* 1978; 16: 1-29.
- Kaufman L.: Controlled hypotension in anaesthesia produced by sodium nitroprusside (Nipruss) *Clinical Trials Journal*, 1979,17 No.2, 49-53.
- Kieback AG et al Saterinone, Dobutamine, and Sodium nitroprusside: Comparison of Cardiovascular Profiles in Patients with congestive heart failure *J Cardiovasc Pharmacol* 1998; 32: 629-636
- Kilic M, Ozturk F, Genc G, Sukru NG, Yildiz L, Sancac R. Sodium nitroprusside and toxic epidermal necrolysis. *Asian Pac J of Allergy Immunol* 30.3 (Sep 2012): 243-5.
- Kostis JB, Jackson G, Rosen R, Barrett-Connor E, Billups K, Burnett AL, Carson C, Cheitlin M, Debusk R, Fonseca V, Ganz P, Goldstein I, Guay A, Hatzichristou D, Hollander JE, Hutter A, Katz S, Kloner RA, Mittleman M, Montorsi F, Montorsi P, Nehra A, Sadovsky R, Shabsigh R. Sexual dysfunction and cardiac risk (the Second Princeton Consensus Conference). *Am J Cardiol.* (2005) 96, 313–21

- Kloner RA, Hutter AM, Emmick JT, Mitchell MI, Denne J, Jackson G. Time course of the interaction between tadalafil and nitrates. *J Am Coll Cardiol* 2003; 42: 1855–1860.
- Kraut JA and Madias NE. Metabolic acidosis: pathophysiology, diagnosis and management. *Nat. Rev. Nephrol.* 6, 274–285 (2010).
- Kuklina EV, Tong X, Bansil P, George MG, Callaghan WM. Trends in pregnancy hospitalizations that included a stroke in the United States from 1994 to 2007: reasons for concern? *Stroke* 2011; 42: 2564–2570.
- Kulig K. Cyanide antidotes and fire toxicology. *N Engl J Med* 1991; 325: 1801-2.
- Kurtz A, Götz K-H, Hamann M, Wagner C. Stimulation of renin secretion by nitric oxide is mediated by phosphodiesterase 3. *Proceedings of the National Academy of Sciences of the United States of America.* 1998;95(8):4743-4747.
- Lane DA, Lip GY, Beevers DG. Improving survival of malignant hypertension patients over 40 years, *Am J Hypertens* 2009 (22): 1199-1204.
- Lau HK. Cytotoxicity of nitric oxide donors in smooth muscle cells is dependent on phenotype, and mainly due to apoptosis. *Atherosclerosis.* 2003 Feb;166(2):223-32.
- Lian TY, Jiang X, Jing ZC. Riociguat: a soluble guanylate cyclase stimulator for the treatment of pulmonary hypertension. *Drug Des Devel Ther.* 2017 Apr 13; 11: 1195-1207.
- Lidbury PS, Korbut R, Vane JR. Sodium nitroprusside modulates the fibrinolytic system in the rabbit. *Br J Pharmacol.* 1990 Nov;101(3):527-30.
- Lin S, McKenna SJ, Yao CF, Chen YR, Chen C. Effects of Hypotensive Anesthesia on Reducing Intraoperative Blood Loss, Duration of Operation, and Quality of Surgical Field During Orthognathic Surgery: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *J Oral Maxillofac Surg.* 2017 Jan;75(1):73-86.
- Lockwood A, Patka J, Rabinovich M, Wyatt K, Abraham P. Sodium nitroprusside associated cyanide toxicity. *Journal of clinical trials* 2010;2;133-148.
- Lopez-Herce J, Borrego R, Bustinza A, Carrillo A. Elevated carboxyhemoglobin associated with sodium nitroprusside treatment. *Intensive Care Med* (2005) 31:1235–1238
- Luderer JR, Hayes AH Jr, Dubnsky O, Berlin CM. Long-term administration of sodium nitroprusside in childhood. *J Pediatr.* 1977;91(3):490–491.
- Lundquist P, Rosling H, Tyden H. Cyanide release from sodium nitroprusside during coronary bypass in hypothermia. *Acta Anaesthesiol Scand* 1989; 33: 686-8.
- Lurbe E, Agabiti-Roseic E, Cruickshank JK, Dominiczake A, Erdine S, Hirth A, Invitti C, Litwin M, Mancia G, Pall D, Rascher W, Redon J, Schaefer F, Seeman T, Sinha M, Stabouli S, Webb NJ, Wuehl E, and Zanchetti A. Recommendations of the European Society of Hypertension. *Journal of Hypertension* 2016, 34:000–000. DOI:10.1097/HJH.0000000000001039.

- Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germano G, Grassi G, Heagerty AM, Kjeldsen SE, Laurent S, Narkiewicz K, Ruilope L, Rynkiewicz A, Schmieder RE, Boudier HA, Zanchetti A, 2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). *J Hypertens* 2007;25:1105–1187.
- Mann T, Cohn PF, Holman LB, Green LH, Markis JE, Phillips DA. Effect of nitroprusside on regional myocardial blood flow in coronary artery disease. Results in 25 patients and comparison with nitroglycerin. *Circulation*. 1978; 57: 732–8.
- Marik PE, Varon J (2007) Hypertensive crises: Challenges and management. *Chest* 131:1949–1962.
- Martin JN Jr., Thigpen BD, Moore RC, Rose CH, Cushman J, May W. Stroke and severe preeclampsia and eclampsia: a paradigm shift focusing on systolic blood pressure. *Obstet Gynecol* 2005; 105: 246–254.
- Martindale 2012 (last reviewed 2010-08-24; last modified 2011-08-13)
- Martindale The Extra Pharmacopoeia 1996. Cardiovascular Agents. Sodium Nitroprusside 943-945
- McEvoy GK, ed. American Hospital Formulary Service, Drug Information 1994;24:08, 1163-6.
- Micromedex, Inc. Vol. 97 (1974-1998), 2012
- Micromedex, Inc. Volume 97, Drug Evaluations 1998: Nitroprusside Pg:1-59
- Moffet BS and Price JF. Evaluation of sodium nitroprusside toxicity in pediatric cardiac surgical patients. *Ann Pharmacother*. 2008 Nov;42(11):1600-4.
- Moraca P.P., Bitte E.M., Hale D.E., Wasmuth C.E., Poutasse E.F.: Clinical evaluation of Sodium Nitroprusside as a hypotensive agent. *Anaesthesiology*, 1962, 2323 No.2, 193-199
- Morris AA, Page RL 2nd, Baumgartner LJ, Mueller SW, MacLaren R, Fish DN, Kiser TH. Thiocyanate Accumulation in Critically Ill Patients Receiving Nitroprusside Infusions. *J Intensive Care Med*. 2016 Jul 19. pii: 0885066616657004. [Epub ahead of print]
- National High Blood Pressure Education Program (NHBPEP) Working Group on Children and Adolescents; it updates the previous publication, Update on the Task Force Report (1987) on High Blood Pressure in Children and Adolescents (*Pediatrics*. 1996; 98: 649–58), updated by U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES. Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents. NIH Publication No. 05-5267 (96-3790) Revised May 2005.
- National High Blood Pressure Education Program (NHBPEP) Working Group on High Blood Pressure in Children and Adolescents (2005) The Fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents. National Institute of Health publication 05:5267. Bethesda, MD, National Heart, Lung, and Blood Institute

- Nessim SJ, Richardson RM. Dialysis for thiocyanate intoxication: a case report and review of the literature. *ASAIO J.* 2006 Jul-Aug;52(4):479-81.
- NIH 2005. The Fourth Report On The Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents. U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES, National Institutes of Health, National Heart, Lung, and Blood Institute, NIH Publication No. 05-5267.
- Nolan CH. Hypertensive crises. En Schrier RW, Wilcox CS. Eds. *Atlas of Diseases of the Kidney. Vol. III. Hypertension and the Kidney.* 1999. Philadelphia: Current Medicine y Blackwell Science 1999: 8.1-8.8.
- Page IH, Corcoran A C, Dustan HP, Koppanyi T. Cardiovascular actions of sodium nitroprusside in animals and hypertensive patients. *Circulation* 1955; 11: 188-98.
- Pasch T, Schulz V and Hoppelshauer G. Nitroprusside-induced formation of cyanide and its detoxication with thiosulphate during deliberate hypotension. *Journal of Cardiovascular Pharmacology* 5: 77-85 (1983).
- Patterson SE, Monteil AR, Cohen JF, Crankshaw DL, Vince R, and Nagasawa HT. Cyanide Antidotes for Mass Casualties: Water-Soluble Salts of the Dithiane (Sulfanegen) from 3-Mercaptopyruvate for Intramuscular Administration. *J Med Chem.* 2013 Feb 14; 56(3): 1346–1349.
- Precious DS, Splinter W, Bosco D. Induced hypotensive anesthesia for adolescent orthognathic surgery patients. *J Oral Maxillofac Surg.* 1996 Jun;54(6):680-3; discussion 683-4.
- Preston RA, Jy W, Jimenez JJ, et al. Effects of severe hypertension on endothelial and platelet microparticals *Hypertension* 2004; 41: 211-217.
- Public law 107–109. Best Pharmaceuticals for Children Act. Enacted January 4, 2002. Available at: <http://www.fda.gov/opacom/laws/pharmkids/contents.html>. Acc. 3 June 2008
- Quinlan C, Gill D, Waldron M, Awan A. Cyanide poisoning in the post-transplantation patient-a cautionary tale. *Pediatr Nephrol.* 2008 Dec;23(12):2273-5.
- Rechetzki, K.F., Henneberg, R., da Silva, P.H. et al, Reference values for methemoglobin concentrations in children. *Rev Bras Hematol Hemoter.* 2012;34:14–16.
- Regitz-Zagrosek V, Blomstrom Lundqvist C, Borghi C, Cifkova R, Ferreira R, Foidart JM, Gibbs JS, Gohlke-Baerwolf C, Gorenek B, Iung B, Kirby M, Maas AH, Morais J, Nihoyannopoulos P, Pieper PG, Presbitero P, Roos-Hesselink JW, Schaufelberger M, Seeland U, Torracca L, Bax J, Auricchio A, Baumgartner H, ESC Guidelines on the management of cardiovascular diseases during pregnancy: the Task Force on the Management of Cardiovascular Diseases during Pregnancy of the European Society of Cardiology (ESC). *Eur Heart J* 2011;32:3147–3197.
- Rodrigo C. Induced hypotension during anesthesia. *Anesth Prog* 42:41-58, 1995.
- Rxlist.com. 2010-12-11. Nitropress (Nitroprusside Sodium). <http://www.rxlist.com/nitropress-drug.htm>
- Sapropterine EPAR 2017 Kuvan® EMA/350999/2017; EMEA/H/C/000943

- Schulz LT, Elder EJ Jr, Jones KJ, Vijayan A, Johnson BD, Medow JE, Vermeulen L. Stability of Sodium Nitroprusside and Sodium Thiosulfate 1:10 Intravenous Admixture. *Hosp Pharm.* 2010 Oct 1;45(10):779-784.
- Schulz V.: Clinical Pharmacokinetics of Nitroprusside, Cyanide, Thiosulphate and Thiocyanate. *Clinical Pharmacokinetics*, 9, 1984, 239-251.
- Schulz, V. et al., Toxizität von Natriumnitroprussid bei therapeutischer Anwendung ohne und mit Natriumthiosulfat, *klein. Wochenzeitschrift.* 60, 1982: 1393-1400.
- Schulz, V., Akute und subakute Toxizität von Nitroprussidnatrium, *Intensivmed.* 16, 1979: 320- 325.
- Sipe EK, Trienski TL, Porter JM. Cyanide toxicity in the surgical intensive care unit: a case report. *Am Surg.* 2001 Jul;67(7):684-6
- Smith RP, Kruszyna H. Nitroprusside produces cyanide poisoning via reaction with hemoglobin. *J Pharmacol Exp Ther* 1974; 191:557-63.
- SmPC ADCIRCA 2013; EMA EPAR, WC500032789
http://www.ema.europa.eu/docs/en_GB/document_library/EPAR_-_Product_Information/human/001021/WC500032789.pdf
- Spence JD. New Treatment Options for Hypertension During Acute Ischemic or Hemorrhagic Stroke. *Current Treatment Options in Cardiovascular Medicine* 2007, 9:242–246.
- Spielberg DR, Barrett JS, Hammer GB, Drover DR, Reece T, Cohane CA, Schulman SR. Predictors of arterial blood pressure control during deliberate hypotension with sodium nitroprusside in children. *Anesth Analg.* 2014 Oct;119(4):867-74.
- Stein DR and Ferguson M. Evaluation and treatment of hypertensive crises in children. *Integrated Blood Pressure Control* 2016;9 49–58.
- Suriporn Kunathai, Prapit Sudhas Na Ayuthya. Hemodynamic Effects of Sodium Nitroprusside in Infants and Children with Large Ventricular Septal Defect. *Pediatr Cardiol* 10:59, 1989.
- Suzuki T, Eagle KA, Bossone E, Ballotta A, Froehlich JB, Isselbacher EM. Medical management in type B aortic dissection. *Ann Cardiothorac Surg* 2014;3(4):413-417.
- Taylor T.H., Styles M., Lamming A.J.: Sodium nitroprusside as a hypo-tensive agent in general anaesthesia. *Brit.J.Anaesth.*, 1970,42, 859-863.
- Goodman and Gilman's editor, *The Pharmacological Basis of Therapeutics*, In: 91h Edition, McGraw-Hill, International Edition, Antihypertensive Agents and the drug therapy of hypertension. 1996, 797-799
- Thirstrup S, Nielsen-Kudsk F, Dahl R. In vitro studies on the interactions of beta2-adrenoceptor agonists, methylxanthines, Ca²⁺-channel blockers, K⁺-channel openers and other airway smooth muscle relaxants in isolated guinea-pig trachea. *Eur J Pharmacol.* 1997 May 20;326(2-3):191-200.
- Thomas C, Svehla L and Moffett BS. Sodium nitroprusside induced cyanide toxicity in pediatric patients *Expert Opin. Drug Saf.* (2009) 8(5): 1 – 4.

- Thomas JE and Rosenwasser RH. Reversal of Severe Cerebral Vasospasm in Three Patients after Aneurysmal Subarachnoid Hemorrhage: Initial Observations Regarding the Use of Intraventricular Sodium Nitroprusside in Humans. *Neurosurgery* 1999, 44(1);48-57.
- Tinker JM and Cucchiara RF: Use of Sodium nitroprusside during anaesthesia and surgery. *Int Anesthesiol Clin.* 1978 Summer;16(2):89-112.
- Tinker JM and Michenfelder JD. Sodium Nitroprusside: Pharmacology, Toxicology and Therapeutics. *Anesthesiology.* 1976 Sep;45(3):340-54.
- Tobias JD. Controlled Hypotension in Children: A Critical Review of Available Agents. *Ped Drugs* 2002; 4 (7): 439-453
- Udeh CI, Ting M, Arango M, Mick S. Delayed presentation of nitroprusside-induced cyanide toxicity. *Ann Thorac Surg.* 2015 Apr;99(4):1432-4. doi: 10.1016/j.athoracsur.2014.05.097.
- USPDI. USP Monographs: Sodium Nitroprusside for Injection http://www.pharmacopeia.cn/v29240/usp29nf24s0_m76940.html. 2016
- Varon J, Marik PE. Clinical review: the management of hypertensive crises. *Crit Care. Med* 2003; 7: 374-384.
- Vaughn CJ, Delanty N. Hypertensive emergencies. *Lancet* 2000; 356: 411-418
- Vesey CJ, Cole PV, Linell JC, Wilson J: Some metabolic effects of Sodium nitroprusside in Man. *Brit. Med. Journal*, 1974,2, 140-142
- Vesey CJ, Cole PV. Blood cyanide and thiocyanate concentrations produced by long-term therapy with sodium nitroprusside. *Br J Anaesth.* 1985 Feb;57(2):148-55.
- Vilela-Martin JF, Vaz-de-Melo RO, Kuniyoshi CH, Abdo AN, Yugar-Toledo JC. Hypertensive crisis: clinical-epidemiological profile. *Hypertens Res.* 2011 Mar;34(3):367-71. doi: 10.1038/hr.2010.245. Epub 2010 Dec 16.
- Webb DJ, Muirhead GJ, Wulff M, et al. Sildenafil citrate potentiates the hypotensive effects of nitric oxide donor drugs in male patients with stable angina. *J Am Coll Cardiol* 2000; 36: 25–31.
- Yang WC, Lin MJ, Chen CY, Wu HP. Clinical overview of hypertensive crisis in children. *World J Clin Cases* 2015 June 16; 3(6): 510-513
- Young JD. Nitric oxide and related vasodilators. *Can·J. Anaesth.*, 1997,44 No.5, 23-28

SmPC

Altamedics SmPC Nipruss ® February 2014 and March 2018 (update ongoing)